

Style Ref.

Style Name.

PM102 Omaha

Specification: EN ISO 20345:2022 S3 FO SR

FEATURES





















INDUSTRIES









Product Details

Colour: Black Height: 3 inches Weight: 580g







PRODUCT DESCRIPTION

PM102 Omaha: Engineered for uncompromising safety and comfort. Advanced steel toecap and anti-penetration midsole shield against workplace hazards. Premium leather upper ensures durability and breathability. Dual-density PU outsole delivers superior traction and shock absorption. Ergonomic design minimises fatigue, maximising productivity across various industries.

MATERIAL BREAKDOWN

UPPER MATERIAL: Water Repellent Coated Leather

EYELETS: Plastic LACES: 100% Polyester

FOOTBED: EVA Foam, 100% Polyester Top Mesh

LINING: 100% Polyester Mesh **OUTSOLE:** Dual Density PU **PROTECTIVE TOECAP: Steel**

PROTECTIVE MIDSOLE: Stainless Steel

TECHNOLOGIES & ACCREDITATIONS



OVERVIEW OF SAFETY STANDARDS



Category	SB	S1	S2	S3/L/S	S4	S5/L/S	S6	S7/L/S
Class 1	~	~	~	~	×	×	~	~
Class 1	×	×	×	×	~	~	×	×
200 Joules Toecap	~	~	~	~	~	~	V	~
Closed heel Area	×	V	~	~	~	~	~	~
Energy Absorption Of Seat Region	×	V	~	~	~	~	V	~
Anti-Static	×	V	~	~	~	~	V	~
Water Penetration And Absorption	×	×	~	~	×	×	V	~
Perforation Reistance To The Type	×	×	×	~	×	~	×	~
Cleated Outside	×	×	×	~	×	~	×	~
Water Resistance Of The Entire Shoe	×	×	×	×	×	×	V	~

EN 2022 SPECIFICATION

Safety footwear is classified in the UK and EU by the EN 20345 standard using a categorisation of S1 through to S7 to quickly determine the level of incorporated safety components. This is further supported by letter codes for additional safety components or tests the footwear has undercone.

For further infomation contact the Rock Fall sales team.

Always check with your health and safety managment if you are unsure of the appropriate specification required by your workplace.

Class 1 refers to footwear made from leather & other materials, excluding all polymeric and all rubber footwear Class 2 Refers to all polymetric footwear including all rubber footwear.

S3, S5, S7 Specify metallic midsole tessted at 1100N.

S3L, S5L, S7L specifiy non-metal midsole tested at 1100N with a 4.5mm nail.

S3S, S55, S75 specifiy non-metal midsole tested at 1100N with a 3mm nail.

Please note that the EN20345:2022 specification does not necessarily apply to the footwear represented here, and that there are further specifications attaining to specific safety tests and standards. Always check specification and standards of the footwear before purchase. For more infomation on specifications and standards, get in touch with our team for complete guide.

WELLBEING & COMFORT

When you spend your working day on your feet, discomfort and incorrect footwear can cause serious long-term issues. That's why our footwear is designed to support your feet where they need it most, and we have a wide variety of styles to fit every kind of foot. Make sure your footbed is providing the correct arch support, and that your footwear is the correct size for your feet.

FOOTWEAR CARE

Keeping your safety footwear in a good condition helps keep them comfortable and extend their useful life. Always make sure to keep the upper and sole clear of extensive mud or residue, using a brush and warm water to clean. Never dry out footwear using heat (such as placing them near a radiator) always allow them to dry naturally. Use a leather nourishment or dubbin wax to keep leather materials from drying out.





EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/2599/161/04/25/0768

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer: **Rock Fall UK**

Major House Unit 1/3, Wimsey Way, Alfreton, Derbyshire, DE55 4LS

United Kingdom

Description

PPE Type: a safety footwear

Product reference: Rock Fall Omaha Chukka Safety Shoe

Article code: PM102

Construction and material of outsole: Injection, PU/PU Sole

Pictures:





Reference standard: EN ISO 20345:2022

Classification: I Category: S3 FO SR

Size range: 35-48

Toecap nature : Metallic Insert nature: Metallic At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from APRIL 2025 and the user instructions index version 2025-03-13.

NOTA: Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by

Séverine AUBERT

Certification team leader



Date of first issue: 04 April 2025 Date of end of validity: 08 March 2029





cemarking@ctcgroupe.com

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC. cofrac Accreditation ne 5-0594

NOTIFIED BODY nº 0075



EU DECLARATION OF CONFORMITY

Rock Fall UK, Major House, Unit 1/3, Wimsey Way, Alfreton, Derbyshire, DE55 4LS United Kingdom

Tel: 01773 608616 Email: sales@rockfall.com rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Declares that the PPE described hereafter;

Rock Fall PM102 Omaha

Is in conformity with the provisions of PPE Regulation EU 2016/425 for Category II and, where such is the case, with the national standard transposing the union harmonised standard no. EN ISO 20345:2022

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: CTC - 4, Rue Hermann Frenkel - 69367 Lyon, cedex 07, France. Notified Body 0075 who performed the Eu type examination (Module B) and issued the EU type -examination certificate: 0075/2599/161/04/25/0768

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425 under the supervision of the notified body:

CTC - 4, Rue Hermann Frenkel - 69367 Lyon, cedex 07, France. Notified Body 0075.

Signature: Position: Director Date: 04/04/2025



Issued to:

Rock Fall UK Ltd Major House Unit 1/3 Wimsey Way Alfreton Derbyshire DE55 4LS UK

Approved Body: 0321

SATRA customer number: P1769

UKCA Type-Examination Certificate

Certificate number: AB0321/18795-01/E00-00

This UKCA Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation:

Following the UKCA Type-Examination this product group has been shown to satisfy the applicable essential health and safety requirements of the PPE Regulation (2016/425) as brought into UK law and amended as a Category II product.

Product reference: Description:

ProMan PM100 Utah Injection construction lace up ankle safety boot comprising black embossed microfibre

upper with synthetic mesh linings. 8 D-rings comprise the laced fastening system with steel toecap MR604, steel metallic perforation insert MRA01 and with a black PVC

outsole.

ProMan PM102 Omaha Injection construction lace up low-cut safety shoe comprising black embossed microfibre

upper with synthetic mesh linings. 8 eyelets comprise the laced fastening system with steel toe cap MR604, steel metallic perforation insert MRA01 and with a black PVC

outsole.

ProMan PM103 Mars Same as above but with a red PVC outsole and red linings.

Classification:

EN ISO 20345:2011 S3 SRC

Size: 35 - 49 EUR

Standards/Technical specifications applied: EN ISO 20345: 2011

Technical reports/Approval documents: INTERTEK: GZHT90981820, GZHT90989178, GZHT90989328, GZHT90892397, GZHT90887419

Signed on behalf of SATRA:

M

Pete Doughty

Date first issued: 04/10/2021 Date of issue: 04/10/2021 Expiry date: 04/10/2026

Page 1 of 2



UKCA DECLARATION OF CONFORMITY

Rock Fall UK, Major House, Unit 1/3, Wimsey Way, Alfreton, Derbyshire, DE55 4LS United Kingdom

Tel: 01773 608616 Email: sales@rockfall.com rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM Declares that the

PPE described hereafter;

ROCK FALL PM102 Omaha

Is in conformity with the provisions of PPE Regulation EU 2016/425, as brought into UK Law and amended, for Category II and, where such is the case, with the national standard transposing the union harmonised standard no. EN ISO 20345:2011

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: SATRA Technology Centre Limited, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD United Kingdom. Approved Body 0321. who performed the UKCA type examination (Module B) and issued the UKCA type -examination certificate: AB0321/18795-01/E00-00

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425, as brought into UK Law and amended, under the supervision of the notified body: **SATRA Technology Centre Limited, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD United Kingdom. Approved Body 0321**

Signature:

Position: Director

Date: 29/04/2021

Runcon