# TECHNICAL SPECIFICATION

**WORKING AT HEIGHT** 



# K2™ 2-Point Harness

K2™ 2-Point Harness / Code: FAR0401



### DESCRIPTION

The premium  $K2^{TM}$  harness range combines quality materials with innovative features for optimum ergonomic performance, comfort, and safety.

This harness has two ideally positioned attachment elements for fall arrest and restraint purposes, with fully adjustable shoulder, chest and thigh straps that use quick release buckles. Parking loops and lightweight aluminium hardware also make this a user friendly product.

# OPTIONS

K2™ 2-Point Harness (FAR0401)

## DOWNLOADS

Image Pack (ZIP)

Declaration of Conformity (PDF)

#### VIDEO

youtu.be/EPToND\_r9s4









#### **FEATURES**



#### **Quick Release Buckles**

Quick release buckles for quick and effortless fitting.



#### **Breathable Material**

Air mesh material gives harnesses breathability and anti-tangle feature.



## **Tool Keepers**

K2™ 3-point and 5-point harnesses feature tool keepers for safely stowing



#### **Inspection Labels**

Inspection labels and user information protected in PVC pouch.



#### **Lanyard Keepers**

Breakaway clips safely store unused lanyards and release in the event of a fall.



#### **Ultimate Comfort**

Polyester padding in leg, back and waist areas for improved comfort.

# **COMPATIBLE PRODUCTS**

10m Rope & Grab

10m Wire Self-Retractable Lifeline

10m Wire Self-Retractable Lifeline Sharp Edge

15m Wire Self-Retractable Lifeline

20m Rope & Grab

20m Wire Self-Retractable Lifeline

Spartan™ 2m Adjustable Single Fall Arrest Lanyard

Spartan™ 2m Adjustable Twin Fall Arrest Lanyard

2m Self-Retractable Lifeline with Scaffold Hook

2m Self-Retractable Lifeline Sharp Edge

Pioneer<sup>™</sup> 2m Single Sharp Edge Fall Arrest Lanyard

Pioneer™ 2m Twin Sharp Edge Fall Arrest Lanyard

5m Wire Self-Retractable Lifeline

#### **SAFETY STANDARDS**

EN 361

#### **SPECIFICATIONS**

**Anchorage Points** 

Adjustment

Shoulders, Chest and Legs

Fall Indicator

No

Quick Release Buckles

Yes

Work Postioning Belt

No

Tool Keeper

No

**Comfort Padding** 

Shoulders and Leg

Lanyard Parking

Yes

Sub-Pelvic Strap

Yes

Product Label

Protected

Metal Parts

Light Alloy Steel



Rated Weight / Load 140kg



Product Weight

1730g

# **APPLICATIONS**

Aeronautics

Roofing

# **RANGE**













5m Wire Self-Retractable Lifeline Sharp Edge

EVO®5 DualSwitch™ Micro Peak Revolution® Wheel Ratchet Vented

EVO® VISTAlens® DualSwitch™ Micro Peak Revolution® Wheel Ratchet Vented

EVO® VISTAshield® DualSwitch™ Micro Peak Revolution® Wheel Ratchet Vented

EVOLite® Skyworker™ Micro Peak Revolution®Wheel Ratchet Vented

K2™ 2m Single Fall Arrest Lanyard

K2™ 2m Twin Fall Arrest Lanyard

Pioneer™ 2m Single Fall Arrest Lanyard

Pioneer™ 2m Twin Fall Arrest Lanyard

Spartan<sup>™</sup> 2m Single Fall Arrest Lanyard with Scaffold Hook

Spartan™ 2m Twin Fall Arrest Lanyard

#### **ACCESSORIES**

Aluminium Scaffolding Hook

Aluminium Tower Hook

Aluminium Triple Lock Karabiner

Aluminium Twist Lock Karabiner

scaffolders-tool-lanyard

Single Tool Lanyard

Steel Screw Gate Karabiner

Steel Twist Lock Karabiner

Twin Tool Lanyard







