

## FEATURES



ESD Certified



Fibreglass Toecap



PS Rated Aramid Protective Midsole



Non Metallic



Fuel Oil Resistant Outsole



Water Repellent Upper



Fully Waterproof



Recycled Materials



Scuff Cap



SR Slip Resistance

## INDUSTRIES



Airsides



Automotive and Aerospace



Cargo and Cruise Liners



Electric Vehicle



Electronics



Facility Management



Warehousing and Logistics

## Product Details

Colour: Black  
Height: 5 inches  
Weight: 578g



## PRODUCT DESCRIPTION

RF120 TeslaDRI safety trainers deliver uncompromising protection and comfort. Featuring breathable mesh uppers, Activ-Tex® waterproof membrane, and fibreglass safety toe, these trainers keep feet dry and protected. The para-aramid midsole and Activ-Step Traction-lite® outsole provide superior grip and energy return. ESD compliant for workplace safety.

## MATERIAL BREAKDOWN

**UPPER MATERIAL:** 100% Water Repellent Post Consumer Recycled Polyester Mesh, TPU Print

**EYELETS:** Punched

**LACES:** 100% Post Consumer Recycled Polyester  
**FOOTBED:** Activ-Step® PU Foam, 100% Post Consumer Recycled Polyester Top Mesh

**LINING:** 60% Post Consumer Recycled Polyester, 40% Nylon

**SCUFF CAP:** TPU

**MEMBRANE:** Activ-Tex® Waterproof, Breathable Microporous Membrane

**OUTSOLE:** Activ-Step® Traction Lite™, EPR Midsole, Nitrile Rubber Skin

**PROTECTIVE TOECAP:** Fibreglass

**PROTECTIVE MIDSOLE:** Activ-step® Aramid Fibre

## TECHNOLOGIES & ACCREDITATIONS



Category	SB	S1	S2	S3/L/S	S4	S5/L/S	S6	S7/L/S
Class 1	✓	✓	✓	✓	✗	✗	✓	✓
Class 1	✗	✗	✗	✗	✓	✓	✗	✗
200 Joules Toecap	✓	✓	✓	✓	✓	✓	✓	✓
Closed heel Area	✗	✓	✓	✓	✓	✓	✓	✓
Energy Absorption Of Seat Region	✗	✓	✓	✓	✓	✓	✓	✓
Anti-Static	✗	✓	✓	✓	✓	✓	✓	✓
Water Penetration And Absorption	✗	✗	✓	✓	✗	✗	✓	✓
Perforation Resistance To The Type	✗	✗	✗	✓	✗	✓	✗	✓
Cleated Outside	✗	✗	✗	✓	✗	✓	✗	✓
Water Resistance Of The Entire Shoe	✗	✗	✗	✗	✗	✗	✓	✓

### EN 2022 SPECIFICATION

Safety footwear is classified in the UK and EU by the EN 20345 standard using a categorisation of S1 through to S7 to quickly determine the level of incorporated safety components. This is further supported by letter codes for additional safety components or tests the footwear has undergone.

For further information contact the Rock Fall sales team.

Always check with your health and safety management if you are unsure of the appropriate specification required by your workplace.

**Class 1** refers to footwear made from leather & other materials, excluding all polymeric and all rubber footwear  
**Class 2** Refers to all polymeric footwear including all rubber footwear.

**S3, S5, S7** Specify metallic midsole tested at 1100N.

**S3L, S5L, S7L** specify non-metal midsole tested at 1100N with a 4.5mm nail.

**S3S, S5S, S7S** specify non-metal midsole tested at 1100N with a 3mm nail.

Please note that the EN20345:2022 specification does not necessarily apply to the footwear represented here, and that there are further specifications attaining to specific safety tests and standards. Always check specification and standards of the footwear before purchase. For more information on specifications and standards, get in touch with our team for complete guide.

## WELLBEING & COMFORT

When you spend your working day on your feet, discomfort and incorrect footwear can cause serious long-term issues. That's why our footwear is designed to support your feet where they need it most, and we have a wide variety of styles to fit every kind of foot. Make sure your footwear is providing the correct arch support, and that your footwear is the correct size for your feet.

## FOOTWEAR CARE

Keeping your safety footwear in a good condition helps keep them comfortable and extend their useful life. Always make sure to keep the upper and sole clear of extensive mud or residue, using a brush and warm water to clean. Never dry out footwear using heat (such as placing them near a radiator) always allow them to dry naturally. Use a leather nourishment or dubbin wax to keep leather materials from drying out.

**SATRA**

Issued to:

Rock Fall UK Ltd  
Major House  
Unit 1/3 Nimsey Way  
Alfreton  
Derbyshire  
**DE554LS**  
United Kingdom

Notified Body: 2777

SATRA customer number: P1769

## EU Type-Examination Certificate

**Certificate number: 2777/15444-03/E00-00**

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation. It has been issued Under Module B of Regulation 2016/425 on personal protective equipment. This product group has been shown to satisfy the applicable essential health and safety requirements as a Category II product.

**Product reference:**

Rock Fall RF008 FaraDRI

Rock Fall RF120 TeslaDRI

**Description:**

Height of upper: Low shoe (RF008) / Ankle boot (RF120)  
Upper: Black mesh with PU film  
Vamp/quarter/counter lining: Black mesh  
Collar/tongue lining: Black/grey mesh  
Collar: Black/grey mesh  
Tongue: Black mesh  
Fastening: 5 pairs of punched eyelets (RF008)  
5 pairs of punched eyelets and 2 pairs of non-metal eyelets (RF120)  
Toe-cap: PEP composite toe cap  
Perforation resistance insert/ insole: PEP-Composite plate  
Construction: Cemented  
Insock: Green mesh with green PU foam  
Sole: Black EVA midsole and Black rubber outsole  
Sole Pattern: 2201#

Footwear found to meet  
BS EN 61340-4-3:2018

Size range: UK 2 - 16

**Category of Protection:**

EN ISO 20345:2022 S7S FO SR

Standards/Technical specifications applied:  
EN ISO 20345:2022

**Technical reports/Approval documents:**

SATRA: CHT0288579, CHT0289394, CHT0336968/2235/A, CHT0348196/2315, CHT1540T4J8, CHT2137P7K4, CHT9229C8D8, CHT2001220, CHT8058P9D4, CHT8244D6W1, CHT8126R7L8, Intertek: GZHT90573543, GZHT90758248, GZHT90588514, GZHT90964173, GZHT90917150, GZHT90544038, GZHT90593754, GZHT90854374, GZHT90623658, GZHT90833061, GZHT90835408, GZHT90631007, GZHT90619917, GZHT91066654, GZHT91148023, GZHT91226000, GZHT91235178, GZHT91231880, CTT: CTT2205010856EN, LCTECH: LCZC16110542-E

Signed on behalf of SATRA:

Geoff Graham

**Date first issued: 14/12/2020****Date of issue: 12/04/2024****Expiry date: 12/04/2029**



## EU DECLARATION OF CONFORMITY

Rock Fall UK, Major House,  
Unit 1/3, Wimsey Way,  
Alfreton, Derbyshire, DE55 4LS  
United Kingdom  
Tel: **01773 608616**  
Email: **sales@rockfall.com**  
**rockfall.com**

The manufacturer or his nominated representative established in the community;

**ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM**

Declares that the PPE described hereafter;

### **ROCK FALL RF120 Tesladri**

Is in conformity with the provisions of PPE Regulation EU 2016/425 for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2022**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

**ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM**

Is identical to the PPE submitted to: **SATRA Technology Europe Ltd, Bracetown Business Park, Clonee, D15YN2P. Republic of Ireland. Notified Body 2777.** who performed the Eu type examination (Module B) and issued the EU type -examination certificate: **2777/15444-03/E00-00**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425 under the supervision of the notified body:

**SATRA Technology Europe Ltd, Bracetown Business Park, Clonee, D15YN2P. Republic of Ireland. Notified Body 2777.**

Signature:

A handwritten signature in black ink, appearing to read "R. K. Wilson", written over a large, faint, grey stylized mountain peak graphic that spans the bottom right of the page.

Position: Director

Date: 03/01/2025





Issued to:

Rock Fall UK Ltd  
Major House  
Unit 1/3 Wimsey Way  
Alfreton  
Derbyshire  
DE55 4LS  
UK

Approved Body: 0321

SATRA customer number: P1769

## UKCA Type-Examination Certificate

### Certificate number: AB0321/16487-02/E00-00

This UKCA Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation:  
Following the UKCA Type-Examination this product group has been shown to satisfy the applicable essential health and safety requirements of the PPE Regulation (2016/425) as brought into UK law and amended as a Category II product.

**Product reference:**

Rock Fall RF008 ESD  
FaraDRI

**Description:**

Safety trainer comprising black mesh uppers and linings. Rubber toe scuff guard along with 5 eyelets to comprise the laced fastening system. PEP- Composite toe cap, PEP- Composite perforation resistant insert and a cemented outsole referenced 2201#MD+RB.

Rock Fall RF120 ESD  
TeslaDRI

Ankle safety boot comprising black mesh uppers and linings. Rubber toe scuff guard along with 7 eyelets to comprise the laced fastening system. PEP- Composite toe cap, PEP- Composite perforation resistant insert and a cemented outsole referenced 2201#MD+RB.

**Classification:**

Footwear found to meet  
BS EN 61340-4-3:2018

**EN ISO 20345:2011 S3 WR SRC**

**Size Range: 3 – 16 UK**

Standards/Technical specifications applied:  
EN ISO 20345: 2011

**Technical reports/Approval documents:**

Intertek: GZHT90573543, GZHT90758248, GZHT90588514, GZHT90964173, GZHT90917150, GZHT90544038, GZHT90593754, GZHT90854374, GZHT90623658, , GZHT90833061, GZHT90835408, GZHT90631007, GZHT90619917, GZHT90771873, GZHT90835408, GZHT91066654  
SATRA: CHT0288579, CHT0289394  
LCTECH: LCZC16110542-E  
CTC: D181123122\_1

Signed on behalf of SATRA:

Pete Doughty

**Date first issued: 29/04/2021**

**Date of issue: 10/12/2021**

**Expiry date: 29/04/2026**



## UKCA DECLARATION OF CONFORMITY

Rock Fall UK, Major House,  
Unit 1/3, Wimsey Way,  
Alfreton, Derbyshire, DE55 4LS  
United Kingdom  
Tel: **01773 608616**  
Email: **sales@rockfall.com**  
**rockfall.com**

The manufacturer or his nominated representative established in the community;

**ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM** Declares that the  
PPE described hereafter;

### **ROCK FALL RF0120 TeslaDRI**

Is in conformity with the provisions of PPE Regulation EU 2016/425, as brought into UK Law and amended, for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2011**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

**ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM**

Is identical to the PPE submitted to: **SATRA Technology Centre Limited, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD United Kingdom. Approved Body 0321.** who performed the UKCA type examination (Module B) and issued the UKCA type -examination certificate: **AB0321/16487-02/E00-00**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425, as brought into UK Law and amended, under the supervision of the notified body: **SATRA Technology Centre Limited, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD United Kingdom. Approved Body 0321**

Signature:

A handwritten signature in black ink, appearing to read "R. K. Wilson", written over a large, faint, grey stylized mountain peak graphic that serves as a background for the signature area.

Position: Director

Date: 10/12/2021

## Certificate of Conformance (COC)

Certificate No. 2412011



Issued by CTC Dongguan Co., Ltd., to the following model of PPE footwear:

**Company name: ROCK FALL UK LTD**

Product Description: OUTSOLE:2201#, TOECAP: PEP-COMPOSITE, INSERT: PEP-COMPOSITE

Style name: RF120

Gender: Male

Picture of footwear & outsole	Picture of non-metal puncture resistance insert
	

This product meets the performance requirements of ASTM Specification F2413-24 as tested in accordance with ASTM Test Methods F2412-24 for the following safety hazards:

Safety hazards	CTC testing report No.	Issued date of report
5.2 Impact Resistant (I)	D241236129_1	30 December, 2024
5.3 Compression Resistant (C)	D241236129_1	30 December, 2024
5.7 Static dissipative footwear (SD) - SD 35	D241236129_1	30 December, 2024
5.8 Puncture Resistant (PR) 5.8.7 Determination of puncture force 5.8.8 Determination of the flex resistance of puncture-resistant insert	D241236354_1	30 December, 2024

Note :

1. This declaration applies to the particular sample tested and to the specific tests carried out as dated and detailed in the report(s) referenced above.
2. This certificate is valid only for the applicant's selected test items and must not be used without the attached test report(s).

Issue date of certificate:  
December 31, 2024

Issued in Dongguan by:  
Kevin LEE  
PPE Manager of CTC Greater China



**CTC Dongguan Co., Ltd.**

1 Floor, No.14 building, Small and Medium sized Enterprises Pioneer Park,  
SSL Industry Park, Dongguan - P.R. CHINA  
Tél. : +86 769 23 03 77 70 Fax : +86 769 23 03 77 71  
E-mail : ctcdongguan@ctcgroupe.com



*The Vegan Society*  
**CERTIFICATE OF REGISTRATION**

*This is to certify that*

**Rock Fall UK**

*has registered products or services meeting the Vegan Trademark criteria*

Account Number

**028015**

Valid From

**07/01/2025**

Expiry Date

**07/01/2028**

Signature

*Charlotte Adcroft*

Position

**TRADEMARK**