

# TECHNICAL SPECIFICATION

EYE AND FACE PROTECTION



## Stealth™ 7000

Clear Anti-mist N Rated / Code: ASA430-151-300



### DESCRIPTION

Stealth™ 7000 spectacles feature contour design and flexible frame for a versatile fit, covering smaller and larger face sizes. Lightweight materials and design combine to provide comfortable continuous wear, available in a range of lens shades for UV and sunglare protection.

### OPTIONS

Amber K Rated (ASA430-020-200)  
**Clear Anti-mist N Rated (ASA430-151-300)**  
Clear K Rated (ASA430-021-300)  
Red Mirror Smoke HC lens (ASA430-02K-100)  
Smoke K Rated (ASA430-026-400)

### DOWNLOADS

-  [Image Pack \(ZIP\)](#)
-  [Declaration of Conformity \(PDF\)](#)



JSP Limited. Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.  
Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jgpsafety.com / Web: www.jgpsafety.com  
Do Not Publish without written permission from JSP Limited. Contact copyright@jgpsafety.com.  
Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.  
Page 1 of 5 / Issued 17 Nov 2020 / Copyright 2018 - 2020. JSP Limited. All Rights Reserved.



## FEATURES

### Comfort

Contour design and flexible frame gives a good versatile fit onto both smaller and larger faces.

## SAFETY STANDARDS

EN 170

EN 166

## SPECIFICATIONS



RADIATION PROTECTION BREAKDOWN filtering effect Scale Number  
2C



LIGHT TRANSMISSION BREAKDOWN Lens Shade number  
1.2



Manufacturer's Trademark  
JSP Dagger



Optical Class (1 – Class 1 – High quality for regular use. 2 – Class 2 – Medium quality for occasional use. 3 – Class 3 – Low quality for exceptional use)  
1



Low Energy Impact resists a 6 mm, 0.86g ball @ 45 m/s ? Maximum protection for glasses  
F



The letter T, immediately after the mechanical strength symbol, authorises use for high speed particles at extreme temperatures. (-5°C and +55°C) Optional  
T



Resistance to fogging (optional)  
N

## APPLICATIONS

Agricultural

- Farming
- Landscaping

Facilities Management

- Cleaning & Janitorial
- Elevator Maintenance & SVS

Manufacturing

- Automotive
- Packaging
- Paper

Mining, Aggregates and Quarrying

Renewable, Wind and Solar Energy

Scaffolding and Roofing

Sole Trader

- Electrical
- Gas

Utilities Contractors

- Electrical
- Gas
- Telecomms

## RANGE

# STEALTH 7000

## BRANDING

Sides



JSP Limited. Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.  
Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jsp-safety.com / Web: www.jsp-safety.com  
Do Not Publish without written permission from JSP Limited. Contact copyright@jsp-safety.com.  
Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.  
Page 2 of 5 / Issued 17 Nov 2020 / Copyright 2018 - 2020. JSP Limited. All Rights Reserved.



## Lens Shades

Available in a wide range of practical lens shades for different tasks and environments.



JSP Limited. Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.  
Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: [sales@jspsafety.com](mailto:sales@jspsafety.com) / Web: [www.jspsafety.com](http://www.jspsafety.com)  
Do Not Publish without written permission from JSP Limited. Contact [copyright@jspsafety.com](mailto:copyright@jspsafety.com).  
Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.  
Page 3 of 5 / Issued 17 Nov 2020 / Copyright 2018 - 2020. JSP Limited. All Rights Reserved.



## Branding

Company logo can be tampo printed  
onto the temples of the Stealth™ 7000.



JSP Limited. Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.  
Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com  
Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com.  
Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party  
machine and automated translations processed by users may have inaccuracies and should not be relied upon.  
Page 4 of 5 / Issued 17 Nov 2020 / Copyright 2018 - 2020. JSP Limited. All Rights Reserved.



## COMPATIBLE PRODUCTS

Flexinet® Mask FFP2 (821)  
Flexinet® Mask FFP2OV (823)  
Flexinet® Mask FFP2V (822)  
Flexinet® Mask FFP3 Valved (832)  
Force™ 8 Half Mask Respirator  
SpringFit™ Disposable Dust Mask 421ML FFP2  
SpringFit™ Disposable Dust Mask 425ML FFP2 with Typhoon™ Valve  
SpringFit™ Disposable Dust Mask 431ML FFP3  
SpringFit™ Disposable Dust Mask 435ML FFP3 with Typhoon™ Valve  
SpringFit™ Disposable Dust Mask 436ML FFP3 with Typhoon™ Valve and Nuisance Carbon Layer  
Typhoon™ Moulded Mask FFP2 Valved (725)  
Typhoon™ Moulded Mask FFP2OV (726)  
Typhoon™ Moulded Mask FFP3 Valved (735)

## ACCESSORIES

PPE Cleaning Station & Accessories

