

AMAZON™

BLACK FRAME - CLEAR HC LENS (K)

PRODUCT CODE: ASA620-121-100

LATEST TWIN LENS WITH INTEGRAL SIDE SHIELDING & ADJUSTABLE RATCHETING SIDE ARMS TO ENSURE OPTIMUM FIT

TECHNICAL SPECIFICATION

EYE & FACE PROTECTION

INSTRUCTIONS FOR USE

In use ensure that the safety spectacles fit comfortably and securely on the head

Ensure that the safety spectacles are in place, before entering the hazard area



FRAME:
Nylon

LENS:
Polycarbonate

NOSE PIECE:
PVC

AMAZON™ FEATURES & PERFORMANCE

Lens and frame offer protection against low energy high-speed particles at 45 m/s (101mph)

The optical qualities of the lens comply with the requirements of optical class 1 (highest)

Latest twin lens with integral side shielding

Adjustable ratcheting side arms ensure optimum fit



CLEANING & MAINTENANCE

The safety spectacles may be cleaned with soap and warm water and dried with a soft cloth

Do not clean with chemical or abrasive cleaners

The eye shield should be stored out of direct sunlight, away from chemicals and not exposed to extremes of temperature



CONFORMITY

Conforms to EN 166.1.FT.K & EN 170

EC Certificate Number 726, issued by Inspec Certification Limited

AMAZON™

BLACK FRAME - CLEAR HC LENS (K)

PRODUCT CODE: ASA620-121-100

LATEST TWIN LENS WITH INTEGRAL SIDE SHIELDING & ADJUSTABLE RATCHETING SIDE ARMS TO ENSURE OPTIMUM FIT


TECHNICAL SPECIFICATION

EYE & FACE PROTECTION

DIMENSIONS OF INNER PACKAGING

Quantity: 10

Weight: 489g (Approx)



WIDTH:
157mm

LENGTH:
308mm


HEIGHT:
110mm



DIMENSIONS OF OUTER PACKAGING

Quantity: 120

Weight: 7.2kg (Approx.)



WIDTH:
329mm

LENGTH:
498mm

HEIGHT:
470mm

DIMENSIONS OF SPECTACLE

Lens Thickness: 3mm

Lens Size (Vertical): 45mm

Lens Size (Diagonal): 90mm

Bridge: 9mm

Temple Length (Lens to tip): 102mm

Overall Width: 132mm

Closest point between temple tips: 73mm

Weight: 30g (Approx.)

MARKINGS

Frame: EN166 1.F

Clear Lens: 2-1.2 ↑ 1.FT.K

Smoke Lens: 5-2.5 ↑ 1.FT.K

Mirror Lens: 5-2.5 ↑ 1.FT.K

LIMITATIONS OF USE

Protection will only be offered if the safety spectacles are fitted correctly

If the safety spectacles become scratched or damaged they should be replaced, likewise if the safety spectacles are subjected to severe impact they should be replaced immediately

Do not apply paint, solvents, adhesives or self-adhesive labels, except in accordance with instructions from the manufacturer

The safety spectacles, when in contact with the skin may cause allergic reactions to susceptible individuals. If this occurs leave the hazard area, remove the eye shield and seek medical advice

The attention of users is also drawn to the dangers of modifying or removing any of the original component parts, other than as recommended by the manufacturer

The Amazon™ is not suitable for protection against dusts, liquids or molten metals